

PROMASEAL®-LFC is an article within the meaning of REACH (REGULATION (EC) No 1907/2006) and CLP (REGULATION (EC) No 1272/2008). SDSs do not have to be provided for articles. Moreover this article, for which safety information is given, does not contain substances of very high concern, substances of which the use is restricted by the Commission or substances on the Candidate List of Substances of Very High Concern for Authorization (last updated list of 15.01.2018). Even if this article is not subjected to any obligation to classify or label (Art 4 of Regulation (EC) No 1272/2008), Promat has decided to supply certain information about identification, first aid and releases measures, exposure control, disposal and transport. This safety information supplies information to industrial and professional users on the safe use of this article.

SECTION 1: Identification of the article and of the company/undertaking

1.1. Product identifier

Product form : Article
Product name : PROMASEAL®-LFC

1.2. Relevant identified uses of the Article and uses advised against

1.2.1. Use of the Article

Main use category : Professional use
Function or use category : Fire protection

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Etex Building Performance GmbH
St.-Peter-Straße 25
4021 Linz - Austria
T +43 732-6912-0
info.at@etexgroup.com - www.promat.at

Other

Etex Building Performance Limited
Gordano House, Marsh Lane, Easton-in-Gordano
BS20 ONE Bristol - United Kingdom
T +44 1275 377 773
marketinguk@promat.co.uk - www.promat.co.uk

Other

Promat France
2 rue Charles-Edouard JEANNERET- CS 90129
78306 POISSY Cedex - France
T +33 1 39 79 61 60
info@promat.fr - www.promat.fr

Other

Promat Ibérica S.A.
C/ Velazquez, 47 – 6° Izquierda
28001 Madrid - Spain
T +34 91 781 1550 - F +34 91 575 15 97
info@promat.es - www.promat.es

Other

Promat B.V.
Vleugelboot 22
3991 CL Houten - Nederland
T +31 30 241 0770 - F +31 30 241 0771
info@promat.nl - www.promat.nl

Other

Promat s.r.o.
Ckalova 22/784
16000 Praha 6 - Bubeneč - Czech Republic
T +420 224 390 811 - F +420 233 333 576
promat@promatpraha.cz - www.promatpraha.cz

Other

Promat GmbH
Scheifenkamp 16
40878 Ratingen - Germany

Other

Etex Building Performance N.V.
Bormstraat 24
2830 Tiselt - BELGIUM
T +32 15 71 81 00 - F +32 15 71 81 09
info@promat-international.com - www.promat-international.com

Other

Etex Building Performance S.p.A.
Via Perlasca 14
27010 Vellezzo Bellini (PV) - Italy
T +39 0382 4575 245 - F +39 0382 4575 250
info@promat.it - www.promat.it

Other

Promat TOP Sp. z.o.o.
ul. Przeclawska 8
03-879 Warszawa - Poland
T +48-22 212 2280 - F +48-22 212 2290
top@promatop.pl - www.promatop.pl

Other

Promat d.o.o.
Trata 50
4220 Skofja Loka - Slovenia
T +386 4 51 51 451 - F +386 4 51 51 450
info@promat-see.com - www.promat-see.com

Other

Promat AG
Stationsstrasse 1
8545 Rickenbach Sulz - Switzerland
T +41 52 320 9400 - F +41 52 320 9402
office@promat.ch - www.promat.ch

Other

Etex Building Performance, Etex Nordic A/S
Kometvej 36
6230 Rodekro - Denmark
T +45 7366 1999
info@promat.nu - www.promat.nu

Other

Promat Fire Protection LLC
Plot No. 597-921 Dubai Investment Park 2
123945 Dubai - United Arab Emirates

PROMASEAL®-LFC

Safety information

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

T +49-2102 493 0 - F +49-2102 493 111
mail@promat.de - www.promat.de

T +971 4 885 3070 - F +971 4 885 3588
info@promatfp.ae - www.promatmiddleeast.com

1.4. Emergency telephone number

Emergency number : +43 732-6912-0
During office hours:
Monday-Friday: 8.00 a.m. - 4.30 p.m. (MEZ) .
Language
German
English

SECTION 2: Hazards identification

2.1. Classification of the article

Not applicable : articles are not subjected to any obligation to classify (Art 4 of Regulation (EC) No 1272/2008)

2.2. Label elements

According to EC directives or the corresponding national regulations there is no labelling obligation for this product.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Not applicable

3.3. Article

Components : Intumescent fire protection seal on basis of graphite that expands in case of fire.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : In case of doubt or persistent symptoms, consult always a physician.
First-aid measures after inhalation : An inhalation hazard is not anticipated unless dust is generated. Move the affected person to the fresh air.
First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Do not rub the eye. Rinse immediately with plenty of water.
First-aid measures after ingestion : Do not induce vomiting. Drink plenty of water. Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Carbon dioxide. Dry powder.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Carbon oxides (CO, CO₂). Phosphorus oxides.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No special requirements.

6.1.1. For non-emergency personnel

Measures in case of dust release : Avoid breathing dusts. Avoid eye and skin contact. Dampen down any dust or use vacuum cleaner with correct filter.

PROMASEAL®-LFC

Safety information

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Do not allow entry to drains, sewers, water courses or soil.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Dispose in a safe manner in accordance with local/national regulations.

6.4. Reference to other sections

Personal protection: section 8; Product disposal: section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid dust formation. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety procedures.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry, cool and well-ventilated place. Protect against frost. Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Aluminium silicate (Kaolin) (1332-58-7)		
Ireland	Local name	Kaolin, respirable dust
Ireland	OEL (8 hours ref) (mg/m ³)	2 mg/m ³
United Kingdom	Local name	Kaolin
United Kingdom	WEL TWA (mg/m ³)	2 mg/m ³ respirable dust
Iceland	Local name	Kaolín, örfínt ryk
Iceland	OEL (8 hours ref) (mg/m ³)	2 mg/m ³

Occupational Exposure Limits / Workplace Exposure Limits for particles not otherwise classified or regulated (nuisance dust) : - in UK: Inhalable: 10 mg/m³. Respirable: 4 mg/m³
- in Ireland: Inhalable: 10 mg/m³. Respirable: 4 mg/m³

Additional information : Ensure all national/local regulations are observed.

8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Avoid contact with eyes. Use safety glasses whenever tools are used and dusts are produced.

Skin and body protection : Wear suitable work clothes. Wash contaminated clothing before reuse.

Respiratory protection : Not required for normal conditions of use. Use appropriate respiratory equipment when exposures are likely or can be foreseen to exceed the Occupational Exposure Limits or Workplace Exposure Limits for the UK (e.g. for exposures up to 10 times the OEL (WEL) use at least a P2 type duct mask. For higher exposure, use a P3 type mask).

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : Grey.

Odour : odourless.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : ≈ 70 °C

Freezing point : No data available

Boiling point : No data available

PROMASEAL®-LFC

Safety information

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: $\approx 1,2 \text{ g/cm}^3$
Solubility	: Material nearly insoluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive. If dust are formed : Risk of dust explosion.
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions. Material foams up at approximately 200°C.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

High temperature. Avoid dust formation.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified Dust from this product may cause irritation to the respiratory tract
Skin corrosion/irritation	: Dust from this product may cause skin irritation
Serious eye damage/irritation	: Dust from this product may cause eye irritation
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : No data available on ecotoxicity.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

PROMASEAL®-LFC

Safety information

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

European List of Waste (LoW) code : 07 02 13 - waste plastic
17 02 03 - plastic

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated for transport				
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

- Inland waterway transport

Carriage prohibited (ADN) : No

Not subject to ADN : No

- Rail transport

Carriage prohibited (RID) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance on the REACH candidate list

15.1.2. National regulations

No additional information available

PROMASEAL®-LFC

Safety information

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes:

All chapters have been modified since the previous version.

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

Safety information applicable for regions : CY;GB;GI;IE;IS;MT

DISCLAIMER OF LIABILITY

The Safety Information given in this document was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This Safety Information was prepared and is to be used only for this product. If the product is used as a component in another product, this Safety Information may not be applicable.

This data sheet and the information it contains is not intended to supersede any terms or conditions of sale and does not constitute a specification. Nothing contained herein is to be construed as a recommendation for use in violation of any patent or applicable laws or regulations.