

## **DECLARATION OF PERFORMANCE** Date of issue: 20/05/2025 Replaces: No 0749-CPR-06/0215-2018/1 of: 25/06/2018 No. 0749-CPR-06/0215-2025/1 1 PROMAXON®-Typ A Unique identification code(\*) of the product-type: (\*):as given on the backside of each fire protective board Intended uses as given in the ETA 06/0215: 2.1 - PROMAXON®-Typ A is a fire protective product and its intended use is to protect building elements against fire or to be used in building assemblies as specified hereafter: Type 7: Load-bearing timber elements, 2.2 - PROMAXON®-Typ A is a fire protective product with the following intended uses: internal use (EAD 350142-00-1106 type Z<sub>2</sub>), internal and semi-exposed use (EAD 350142-00-1106 type Y). Name and contact address of the manufacturer: Etex Building Performance N.V. Bormstraat 24 B-2830 Tisselt Belgium Plant: 01 www.promat.com Authorised representative: not applicable. System or systems of Assessment and Verification of Constancy of Performance (AVCP): see table under The construction product is not covered by a harmonised standard (hEN) The declaration of performance concerns a construction product for which a European Technical Assessment has been issued. For the fire protective product PROMAXON®-Typ A, an ETA has been issued by UBAtc, Belgium with N° ETA 06/0215 This ETA has been issued according to EAD 350142-00-1106. Notified product certification body: No. 0749 Certificate of Constancy of Performance: 0749-CPR-BC1-240-66-06/0215-01 **Declared performance** AVCP systems **Essential characteristics Performance** Harmonised technical specification BWR1: Mechanical resistance and stability: not applicable BWR2: Safety in the case of fire: Reaction to fire: This characteristic depends on the tested Resistance to fire: 1 assembly. The performance of the product in each of the tested assemblies is demonstrated and provided by the manufacturer in EAD 350142-00accordance with the intended use sub 2.1 1106 of this DoP and specified in the ETA 06/0215 The classes of performance are established and declared in a classification document in accordance with the applicable part of EN 13501. BWR3: Hygiene, health and the environment: NPD (No Performance Determined) Water permeability: EAD 350142-00-Release of dangerous substances: Declaration 1106 Release of formaldehyde: No formaldehyde containing components BWR4: Safety and accessibility in use: Flexural strength: 1 MOR ≥ 5 MPa (1) EAD 350142-00-Dimensional stability: 1 Dimensionally stable. 1106 Resistance to impact and eccentric load: NPD (No Performance Determined)



Sound absorption performance:	-	NPD (No Performance Determined).	EAD 350142-00 1106
BWR6: Energy economy and heat retenti	on:		1100
Thermal conductivity:	-	NPD (No Performance Determined).	
Water vapour permeability (transmission coefficient):	-	NPD (No Performance Determined).	EAD 350142-0 1106
Durability:			
Resistance to deterioration caused by water:	-	NPD	
Resistance to soak/dry:	-	NPD	EAD 350142-00 1106
Resistance to freeze/thaw: (EAD 350142- 00-1106 - Annex D)	1	Passed	
Resistance to heat/rain:	-	NPD	
Basic durability assessment:		The product performances confirm a working life of at least 25 years for the intended use Z <sub>2</sub> (internal use), Y (internal and semi-exposed).	
BWR7: Sustainable use of natural resour	ces:		
		NPA (No Performance Assessed)	
<b>Appropriated Technical Documentat</b>	ion and/or	Specific Technical Documentation.	
		Not applicable (art 36, 38 of the CPR)	

The performance of the product identified in point 1 is in conformity with the declared performance in point 7.

This declaration of performance is issued in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

The reader of this document is invited to visit the website "www.promat-ce.eu" to review the latest version of this DoP.

The Safety Data Sheet (SDS) of PROMAXON®-Typ A is available on request.

Signed for and on behalf of the manufacturer by:

Name: Valentin Gruber

Function: International Certification Manager.

Tisselt, 20/05/2025. Signature: