

GRADE 1200 is an article within the meaning of REACH (REGULATION (EC) No 1907/2006) and CLP (REGULATION (EC) No 1272/2008). SDSs do not have to be provided for articles. Moreover this article, for which safety information is given, does not contain substances of very high concern, substances of which the use is restricted by the Commission or substances on the Candidate List of Substances of Very High Concern for Authorization. Even if this article is not subjected to any obligation to classify or label (Art 4 of Regulation (EC) No 1272/2008), Promat has decided to provide information about identification, first aid and release measures, exposure control, disposal and transport. This safety information sheet gives details to industrial and professional users on the safe use of this article.

## SECTION 1: Identification of the article and of the company/undertaking

### 1.1. Product identifier

Product form	: Article
Product name	: GRADE 1200
Type of product	: Microporous high temperature insulation, Grade family : 1200 and related products. Valid for : MICROTHERM® PANEL-1200, MICROTHERM® (SEMI-)OVERSTITCHED-1200, MICROTHERM® (SEMI-)QUILTED-1200, PROMALIGHT®-1200, PROMALIGHT® MACHINED PARTS-1200, STEELFLEX®-1200
Product group	: High temperature insulation.

### 1.2. Relevant identified uses of the Article and uses advised against

#### 1.2.1. Use of the Article

Main use category	: Professional use
Function or use category	: High temperature insulation.

#### 1.2.2. Uses advised against

No additional information available.

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Microtherm N.V.  
Industriepark-Noord 1  
9100 Sint Niklaas - BELGIUM  
T +32 3 7601980 - F +32 3 760 1999  
[info@microtherm.be](mailto:info@microtherm.be) - [www.promat-industry.com](http://www.promat-industry.com)

#### Other

Etex Building Performance BV  
Vleugelboot 22  
3991 CL Houten - THE NETHERLANDS  
T +31 30 241 0770 - F +31 30 241 0771

#### Other

Promat UK Limited  
B1 The Innovation Centre, Pilsworth Road - Heywood Distribution Park  
Pilsworth Road  
OL10 2TS Heywood - UNITED KINGDOM  
T +44 (0)800 588 4444  
[sales@promat.co.uk](mailto:sales@promat.co.uk)

#### Other

Etex France Building Performance S.A.  
500 rue Marcel Demonque, Agroparc - CS70088  
84915 Avignon Cedex 9 - FRANCE  
T +33 (0)432 44 44 44  
[fds.efbp@etexgroup.com](mailto:fds.efbp@etexgroup.com) - [www.promat.fr](http://www.promat.fr)

#### Other

#### Other

Promat Inc. USA  
1731 Fred Lawson Drive  
37801 Maryville, TN - UNITED STATES  
T +1 888 681 0155 - F +1 865 681 0016  
[industryUS@promat.com](mailto:industryUS@promat.com) - [www.promat.com/en-us/industry](http://www.promat.com/en-us/industry)

#### Other

Etex Building Performance N.V.  
Bormstraat 24  
2830 Tiselt - BELGIUM  
T +32 15 71 81 00 - F +32 15 71 81 09  
[info@promat-international.com](mailto:info@promat-international.com) - [www.promat-international.com](http://www.promat-international.com)

#### Other

Etex Building Performance GmbH  
Scheifenkamp 16  
40878 Ratingen - GERMANY  
T +49 (0)2102 493 0 - F +49 (0)2102 493 111  
[mail@promat.de](mailto:mail@promat.de) - [www.promat.de](http://www.promat.de)

#### Other

Promat Ibérica S.A.  
C/ Velazquez, 47 – 6° Izquierda  
28001 Madrid - SPAIN  
T +34 91 781 1550 - F +34 91 575 15 97  
[info@promat.es](mailto:info@promat.es) - [www.promat.es](http://www.promat.es)

#### Other

# GRADE 1200

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Promat S.p.A.  
Via Provinciale 10  
24040 Filago (BG) - ITALY  
T +39 035 99 37 37 - F +39 035 39 42 40  
[industria@promat.it](mailto:industria@promat.it) - [www.promat.com/industry](http://www.promat.com/industry)

### Other

Promat d.o.o.  
Trata 50  
4220 Skofja Loka - SLOVENIA  
T +386 4 51 51 451 - F +386 4 51 51 450  
[info@promat-see.com](mailto:info@promat-see.com) - [www.promat-see.com](http://www.promat-see.com)

### Other

Promat TOP Sp. z.o.o.  
ul. Przeclawska 8  
03-879 Warszawa - POLAND  
T +48-22 212 2280 - F +48-22 212 2290  
[top@promatop.pl](mailto:top@promatop.pl) - [www.promatop.pl](http://www.promatop.pl)

Etex Nordic A/S  
Vendersgade 74,3  
7000 Fredericia - DENMARK  
T +45 7366 1999  
[Promat-dk@etexgroup.com](mailto:Promat-dk@etexgroup.com) - [www.promat.com/da-dk](http://www.promat.com/da-dk)

### Other

Promat s.r.o.  
Ckalova 22/784  
16000 Praha 6 - Bubenec - CZECH REPUBLIC  
T +420 224 390 811 - F +420 233 333 576  
[promat@promatpraha.cz](mailto:promat@promatpraha.cz) - [www.promatpraha.cz](http://www.promatpraha.cz)

### Other

Etex Middle East LLC  
Plot No. 597-921 Dubai Investment Park 2  
123945 Dubai - UNITED ARAB EMIRATES  
T +971 4 885 3070 - F +971 4 885 3588  
[info@promatfp.ae](mailto:info@promatfp.ae) - [www.promatmiddleeast.com](http://www.promatmiddleeast.com)

## 1.4. Emergency telephone number

Emergency number : Please contact a regional poison center or emergency telephone number.

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090 Msida	+356 2545 6508	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

## SECTION 2: Hazards identification

### 2.1. Classification of the article

Not applicable : articles are not subjected to any obligation to classify (Art 4 of Regulation (EC) No 1272/2008)

### 2.2. Label elements

Not Applicable according to the CLP Regulation No (EC) 1272/2008.

# GRADE 1200

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.3. Other hazards

Other hazards which do not result in classification : Can occur: eye irritation, irritation of mucous membranes and skin irritation. Some raw materials may contain traces of natural occurring quartz. During machining the product (drilling, cutting, sanding, etc.), airborne dust can be released. As with most types of nuisance dust, excessive inhalation of dust may cause irritation of the bronchial tubes. The inhalation of quartz containing dust, in particular the fine dust fraction (respirable size), in high concentrations or over repeated or prolonged periods of time can be hazardous to health and may lead to chronic lung disease and an increased risk of lung cancer. This risk will be minimal if correct working practices are observed and applied. (Refer to Section 8). According to the International Agency for Research on Cancer (IARC Monograph Volume 100C - 2012) "Crystalline silica inhaled in the form of quartz or cristobalite is carcinogenic to humans (Group 1)."

Some products of this GRADE family are supplied encapsulated in covering materials, such as woven glass cloth, non-woven polyester cloth, PE foil, aluminium foil and mica sheet. Some fibres, glass threads, covering materials or adhesives may be used that contain some organic fraction which may decompose upon first heating.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Not applicable

### 3.3. Article

Components : Aluminium oxide, zircon, aluminium oxide fibre

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Seek medical attention if ill effect or irritation develops.  
First-aid measures after inhalation : Remove to fresh air and drink water. Seek medical attention if irritation or symptoms persist.  
First-aid measures after skin contact : Rinse affected areas with water, taking care not to scratch or rub. Seek medical attention if irritation or symptoms persist.  
First-aid measures after eye contact : Do not rub the eye. Rinse immediately with plenty of water. If eye irritation persists: Get medical advice/attention.  
First-aid measures after ingestion : Ingestion unlikely due to product form. Do not induce vomiting. Rinse mouth. Drink plenty of water. Call a POISON CENTER/doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause irritation to the respiratory tract and to other mucous membranes.  
Symptoms/effects after skin contact : May cause temporary irritation/skin rash. Repeated exposure may cause skin dryness or cracking.  
Symptoms/effects after eye contact : May cause temporary eye irritation.  
Symptoms/effects after ingestion : None known.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# GRADE 1200

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media can be used.

#### 5.2. Special hazards arising from the substance or mixture

Explosion hazard : Product is not explosive.  
Reactivity in case of fire : The product is non-combustible.  
Covering : can be organic or contain organic components which can decompose when heated to temperatures greater than 150°C, emitting toxic gases.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Minimise generation of dust. Avoid breathing dusts. Avoid eye and skin contact. Dampen down any dust or use vacuum cleaner with correct filter.

##### 6.1.1. For non-emergency personnel

Measures in case of dust release : Use recommended respiratory protection. Prevent spread of dust. Dampen down any dust or use vacuum cleaner with correct filter.

##### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

#### 6.2. Environmental precautions

Prevent spread of dust.

#### 6.3. Methods and material for containment and cleaning up

For containment : Use closed containers to avoid dust release.  
Methods for cleaning up : Shovel up small pieces. Dampen down any dust before putting into appropriate skips.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Handling of products of this GRADE family, especially in an encapsulated form, is unlikely to generate significant quantities of airborne dust.  
Dust, generated during machining and processing must be exhausted and the regulatory occupational exposure limits (workplace exposure limits in UK) must be respected.  
Precautions for safe handling : Work in a well ventilated area. Use tools with appropriate dust exhaust equipment. Use always respiratory protective equipment when exposures are likely or can be foreseen to exceed the Occupational Exposure Limits or Workplace Exposure Limits in UK (refer to local regulations). Collect dust with a vacuum cleaner or soak with water before sweeping up.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, covered and frost proof area.

# GRADE 1200

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 7.3. Specific end use(s)

High temperature insulation.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Aluminium oxide (1344-28-1)	
Ireland - Occupational Exposure Limits	
Local name	Aluminium oxides
OEL TWA [1]	10 mg/m <sup>3</sup> total inhalable dust 4 mg/m <sup>3</sup> respirable dust
Regulatory reference	Chemical Agents Code of Practice 2020
United Kingdom - Occupational Exposure Limits	
Local name	Aluminium oxides
WEL TWA (OEL TWA) [1]	10 mg/m <sup>3</sup> inhalable dust 4 mg/m <sup>3</sup> respirable dust
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

#### POLYCRYSTALLINE WOOL (PCW) (675106-31-7)

Ireland - Occupational Exposure Limits	
Local name	Aluminium oxides
OEL TWA [1]	10 mg/m <sup>3</sup> total inhalable dust 4 mg/m <sup>3</sup> respirable dust

#### 8.1.2. Recommended monitoring procedures

No additional information available.

#### 8.1.3. Air contaminants formed

No additional information available.

#### 8.1.4. DNEL and PNEC

Additional information : It is recommended that airborne fibre level is kept below 0.5 fibre/ml. (TWA - Average of 8 working hours)

#### 8.1.5. Control banding

No additional information available.

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

When machining boards (drilling, cutting, sanding, etc.), respect Occupational Exposure Limits (OEL) or Workplace Exposure Limits (WEL in the UK). Check the latest Occupational Exposure Limits (OEL) or Workplace Exposure Limits (WEL in the UK) that are applicable in your country.

#### 8.2.2. Personal protection equipment

##### 8.2.2.1. Eye and face protection

<b>Eye protection:</b>
Avoid contact with eyes. Use safety glasses whenever tools are used and dusts are produced.

##### 8.2.2.2. Skin protection

# GRADE 1200

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Skin and body protection:

Avoid contact with skin. Use working clothes and gloves to protect against mechanical injury and direct skin contact.

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Avoid breathing dusts. Use appropriate respiratory equipment when exposures are likely or can be foreseen to exceed the Occupational Exposure Limits or Workplace Exposure Limits for the UK (e.g. for exposures up to 10 times the OEL (WEL) use at least a P2 type dust mask. For higher exposure, use a P3 type mask).

### 8.2.2.4. Thermal hazards

No additional information available.

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: white.
Odour	: None.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Explosive limits	: Not applicable
Lower explosive limit (LEL)	: Not applicable
Upper explosive limit (UEL)	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20 °C	: Not applicable
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle aggregation state	: Not available
Particle agglomeration state	: Not available
Particle specific surface area	: Not available
Particle dustiness	: Not available

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available.

# GRADE 1200

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 9.2.2. Other safety characteristics

No additional information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Do not use the product at temperatures in excess of the maximum recommended operating temperature.

### 10.5. Incompatible materials

No additional information available.

### 10.6. Hazardous decomposition products

Core insulation : thermally stable to the recommended maximum operating temperature.

Covering : can be organic or contain organic components which can decompose when heated to temperatures greater than 150°C, emitting toxic gases.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Aluminium oxide (1344-28-1)

LD50 oral rat	≥ 5000 mg/kg
---------------	--------------

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

# GRADE 1200

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

#### 11.2.2 Other information

Other information

: One of the components of the article is zircon which can contain very low levels of naturally occurring radioactive elements of the uranium and thorium series. The main radiological hazard from the product is internal exposure from small amounts of alpha particles given off by inhaled dust. Overexposure by inhalation to inhaled dusts containing radioactive uranium or thorium may cause lung cancer. Industrial hygiene practices aimed at control of airborne dust will lessen the potential for exposure. Low level gamma radiation from stocks of the insulation may present a lesser, external hazard that can be managed by limiting close proximity for long time periods to large volumes of material. IARC and NTP do not list Zircon as a carcinogen. Radioactivity measurements performed in the Belgium production facility, dealing with large quantities of these materials resulted in very low radioactivity concentrations (at least a factor 100 lower than the yearly Belgian dose limit for occupationally exposed persons),

Polycrystalline wool (PCW) aluminium oxide fibres are used in this GRADE family:

- PCW are not classified as dangerous by regulation (EC) 1272/2008. PCW have not been assessed by the European Union and therefore are not specifically classified.
- IARC (1988) grouped polycrystalline fibres into a broad category of "ceramic fibres". Test data specific to polycrystalline fibres were negative, but positive results with the other fibre types led to the conclusion that all fibres in the group should be considered as possible human carcinogens (IARC Group 2B).
- In Germany, inorganic dust, unless classified elsewhere is classified in category 3 (TRGS905 2.3 section 6).

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

### 12.2. Persistence and degradability

No additional information available.

### 12.3. Bioaccumulative potential

No additional information available.

### 12.4. Mobility in soil

No additional information available.

### 12.5. Results of PBT and vPvB assessment

No additional information available.

### 12.6. Endocrine disrupting properties

No additional information available.

### 12.7. Other adverse effects

No additional information available.

# GRADE 1200

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste) : Dispose of in accordance with relevant local regulations.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1. UN number or ID number

UN-No. (ADR) : Not regulated.  
UN-No. (IMDG) : Not regulated.  
UN-No. (IATA) : Not regulated.  
UN-No. (ADN) : Not regulated.  
UN-No. (RID) : Not regulated.

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated.  
Proper Shipping Name (IMDG) : Not regulated.  
Proper Shipping Name (IATA) : Not regulated.  
Proper Shipping Name (ADN) : Not regulated.  
Proper Shipping Name (RID) : Not regulated.

#### 14.3. Transport hazard class(es)

**ADR**  
Transport hazard class(es) (ADR) : Not regulated.  
**IMDG**  
Transport hazard class(es) (IMDG) : Not regulated.  
**IATA**  
Transport hazard class(es) (IATA) : Not regulated.  
**ADN**  
Transport hazard class(es) (ADN) : Not regulated.  
**RID**  
Transport hazard class(es) (RID) : Not regulated.

#### 14.4. Packing group

Packing group (ADR) : Not regulated.  
Packing group (IMDG) : Not regulated.  
Packing group (IATA) : Not regulated.  
Packing group (ADN) : Not regulated.  
Packing group (RID) : Not regulated.

#### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

#### 14.6. Special precautions for user

##### Overland transport

Not regulated.

##### Transport by sea

Not regulated.

##### Air transport

Not regulated.

# GRADE 1200

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

---

### Inland waterway transport

Not regulated.

### Rail transport

Not regulated.

### 14.7. Maritime transport in bulk according to IMO instruments

Not established.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substance on the REACH candidate list.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants.

#### 15.1.2. National regulations

No additional information available.

### 15.2. Chemical safety assessment

No additional information available.

## SECTION 16: Other information

### Indication of changes:

This sheet was updated (refer to the date at the top of this page).

### DISCLAIMER OF LIABILITY

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*