

Firestopping and Façades

Ancillary Products

Ancillary Products

In addition to the FSi Promat core range of fire-stopping and façade products, we supply a wide range of ancillary items essential for correct installation, ensuring the tested system is complete.

This makes ordering from FSi Promat a straightforward process with all necessary components delivered in a single shipment, either into stock or directly to site. Nationwide delivery is available within 24 hours of order placement.

Code	Product Description	Unit of Sale	Packaging
Backing Rod			
BACKINGROD10MM	Backing Rod 10mm - 1150 per roll	Roll	Per Roll
BACKINGROD13MM	Backing Rod 13mm - 750 per roll	Roll	Per Roll
BACKINGROD15MM	Backing Rod 15mm - 550 per roll	Roll	Per Roll
BACKINGROD20MM	Backing Rod 20mm - 350 per roll	Roll	Per Roll
BACKINGROD25MM	Backing Rod 25mm - 200 per roll	Roll	Per Roll
BACKINGROD30MM	Backing Rod 30mm - 160 per roll	Roll	Per Roll
Sealant Applicator Guns			
310_400MLAPPTGUN	310ml/ 400ml Combi Application Gun - 210028	Each	On Request
600MLAPPGUN	600ml Combi Applicator Gun - 210069	Each	On Request
900MLAPPGUN	900ml Application Gun - 210014	Each	On Request
Foil Tapes			
XRFOILTAP75MM	XR Foil Tape 75mm	Each	16 Per box
XRFOILTAP4	XR Foil Tape 100mm	Each	12 Per Box



Code	Product Description	Unit of Sale	Packaging
Fixings			
HEXSELFTAPPING	HEXAGON SELF TAPPING SCREW 3.5mm x 12.5mm	Box	100 per Box
FIX-DW75SD	Drywall Screws 75mm (Non SD) 500	Box	500 per Box
FIX-DW-75SD500	S/Drill Dry Wall Screws 75mm (500)	Box	500 per Box
XR42MMSHARPPPOINTSCREWS	42mm Sharp Point Screws	Box	100 per Box
XR32MMDRYWALLSCREWS	32mm Dry Wall Screws	Box	250 per Box
XRWAFWEHEADSCRES13MMS/DRILL	Wafer Head Screws 13mm Self Drill	Box	500 per Box
XR100MMDRYWALL	100mm Dry Wall Screws	Box	250 per Box
XR80MMDW	80mm Drywall Screws (100)	Box	100 per Box
FIX-P/WASH25	Penny Washer 6x25mm	Box	100 per Box
FIX-HAM-30mm	Hammer Fixing M6 X 30	Box	100 per Box
FIX-HAM40	Hammer Fixing M6 x 40	Box	100 per Box
FIX-HAM50	Hammer Fixing M6 x 50	Box	100 per Box
GORPIGTAILS50MM	Pigtail Screws 50mm	Bag	1000 Per Bag
GORPIGTAILS65MM	Pigtail Screws 65mm	Bag	1000 Per Bag
GORPIGTAILS75MM	Pigtail Screws 75mm	Bag	1000 Per Bag
GORPIGTAILS90MM	Pigtail Screws 90mm	Bag	1000 Per Bag
GORPIGTAILS100MM	Pigtail Screws 100mm	Bag	1000 Per Bag
GORPIGTAILS165MM	Pigtail Screws 165mm	Bag	1000 Per Bag
MASKINGTAPE50MM	MASKING TAPE 50mm	Each	24 per Box
GAFFERTICKITAPE50MM	TICKI TAPE BLACK 50MM (GAFFER)	Each	24 per Box
Angle			
ANGDEX	Dexion Angle 40x40x1.5 (3 lm)	Each	Per Length
DEXIONNUTSBOLTS	Dexion Nuts & Bolts Pack Of 100	Box	100 per Box
XR50X50GALVANISED	Angle 50x50.07 Light Galvanised Plain Angle	Each	Per Length
ENCANGLE25X50X0.73.6	Enc angle 25x50x0.7 3.6lm (libra)	Each	Per Length
ENCANGLE25X25X0.7MM3	ENC Angle 25x25x0.7mm 3 Mtrs.	Each	Per Length
P.P.E			
PERFECTFITGLOVESBLAC	Perfect Fit Gloves Black Size 9	Each	Pair
XRTRAFFIGLOVESRED	Traffi Gloves Red Size 9	Each	Pair
WETWIPES	FSi Green Wipes - Cleaning Wipes (100 per Box)	Each	Per Box (6pack)



Ancillary Products

FIRE BARRIERS AND CURTAINS

FIREFLY®

At our distribution centre in Thurrock we also stock a range of related fire safety products including FIREFLY® fire barriers, used to compartmentalise building voids or concealed spaces in order to delay the spread of fire and smoke.



FIREFLY® fire barriers are primarily used in roof voids and lofts to create fire-resistant compartmentation lines throughout a building. They are widely used in social housing, care homes, and healthcare settings to separate accommodation and living spaces.

They are also used in larger areas within industrial buildings, warehouses, food processing plants, data centres, and offices to establish the required compartmentation zones.

Firefly Curtains		Unit of Sale	Packaging
FFA6	Firefly Apollo Lite 30-30 1.27X6m Curtain	Pack	On Request
FFP10	Firefly Pheonix (F/S120MINS) Curtain 1.3X 10m	Roll	On Request
FFP25	Firefly Pheonix (F/S120MINS) Curtain 1.3X25m	Roll	On Request
FFAT60	Firefly Athena 60-60 1.27x6M Curtain	Pack	On Request
FFZ6	Firefly Zeus Lite 90-30 1.27x6m Curtain	Pack	On Request
FFT6	Firefly Titan Lite 120-60 1.27X6m Curtain	Pack	On Request
FFCR10	Firefly Collaroll 300mm x 10m	Roll	On Request
FFHTA310	Firefly High Temp Adhesive 310ML	Each	On Request
FFSG	Firefly Plier Type Staple Gun R31	Each	On Request
FFSGB16	Firefly B16 Pneumatic Staple Gun	Each	On Request
FFR31	Firefly Staples R31 Box 5000 12MM	Box	On Request
FFR318	Firefly Staples R31 Box 5000 8MM	Box	On Request
FFPEN0	Firefly Pen0 Wrap	Roll	On Request
Fire Curtains		Unit of Sale	Packaging
FLAMESTOP60	Flamestop 60 (1.55mx25m Roll)	Each	Per Roll
STAPLEGUNRAPID31	Rapid 31 Staple Gun (Plier Type)	Each	Each
STAPLESRAPID31(5000)	Rapid 31 Staples (5000)	Box	5,000 per box

FIREFLY® Apollo Lite 30:30




FIREFLY® Apollo Lite 30:30 is a lightweight flexible fire barrier designed to provide fire compartmentation of larger concealed spaces and voids within buildings, offering 30 minutes integrity and 30 minutes insulation.

Benefits

- FIREFLY® Apollo Lite 30:30 provides a combined 30 minutes integrity and 30 minutes insulation
- Maintains fire-rated compartmentation lines through roof voids and difficult to access areas where flexibility is an advantage
- Lightweight, flexible, easy to handle and cut
- Installer-friendly fire barrier system
- Fully tested to BS476 and independently certified by IFCC/Kiwa
- Reaction to fire classification A1 (BS EN 13501:1)

FIREFLY® Phoenix

FIREFLY® Phoenix is a lightweight flexible fire rated smoke and flame barrier designed to provide compartmentation within a building, offering 120 minutes integrity only, when tested to BS476 Parts 20 & 22. FIREFLY® Phoenix is designed to work as part of a fire protection system and does not provide insulation properties



Benefits

- FIREFLY® Phoenix provides 120 minutes integrity as a barrier, restricting the passage of smoke and flame across large roof voids
- Tested to include penetrations and services while maintaining performance in-situ
- Lightweight, flexible, easy to handle and installer-friendly smoke and flame barrier system
- Tested to BS476 and independently certified by IFCC/Kiwa

Ancillary Products

FIREFLY® Zeus Lite 90:30



FIREFLY® Zeus Lite 90:30 is a lightweight flexible fire barrier designed to provide fire compartmentation of larger concealed spaces and voids within buildings, offering 90 minutes integrity and 30 minutes insulation.

Benefits

- FIREFLY® Zeus Lite 90:30 provides a combined 90 minutes integrity and 30 minutes insulation
- Maintains fire-rated compartmentation lines through roof voids and difficult to access areas where flexibility is an advantage
- Lightweight, flexible, easy to handle and cut
- Installer-friendly fire barrier system
- Fully tested to BS476 and independently certified by IFCC/Kiwa
- Reaction to fire classification A1 (BS EN 13501:1)



FIREFLY® Titan Lite 120:60

FIREFLY® Titan Lite 120:60 is a lightweight flexible fire barrier designed to provide fire compartmentation of larger concealed spaces and voids within buildings, offering 120 minutes integrity and 60 minutes insulation. A 3-layer system offer the highest performance in the FIREFLY® range of barriers.

Benefits

- FIREFLY® Titan Lite 120:60 provides a combined 120 minutes integrity and 60 minutes insulation
- Maintains fire-rated compartmentation lines through roof voids and difficult to access areas where flexibility is an advantage
- A 3-layer installation system to achieve the highest levels of performance within the FIREFLY® range
- Lightweight, flexible, easy to handle and cut
- Installer-friendly fire barrier system
- Fully tested to BS476 and independently certified by IFCC/Kiwa

Firetex Passive Fire Protection

Sherwin-Williams Firetex passive fire protection range of coatings include solutions to both cellulosic and hydrocarbon fire scenarios. Firetex coatings offer protection for structural steel for up to 120 minutes.

Intumescent Paint		Unit of Sale	Packaging
FIRETEX5062	FIRETEX 5062 20LTRS	Each	Per Drum
FIRETEXFX1003	FIRETEX FX1003	Each	Per Drum

FIRETEX® FX1003

A single component, solvent based, thin-film, intumescent fire protection coating.



FIRETEX® FX5062

A single component, water-based, thin-film, intumescent fire protection coating.



Contact Us

For a full list of who to contact or to find your regional account manager, visit: www.fsiltd.com/contact

To place your order through our dedicated customer service & distribution team, contact:

Firesafe & Sound

Units 3 & 4,
Eurocourt
Oliver Close
Grays
RM20 3EE

Tel: 01708 890524

sales@firesafeandsound.com

fsiltd.com/firesafeandsound



FSi Limited

Westminster Industrial Estate
Measham
Leicestershire
DE12 7DS

Tel: 01530 515130

sales.fsi.uk@etexgroup.com

www.promat.com/en-GB/

 [/company/fsilimited](https://www.linkedin.com/company/fsilimited)